

# JOFRAUTO

**GROUND SUPPORT  
EQUIPMENT**



Los Frailes 126. Daganzo. Spain  
+34 916581264  
info@talleresjofrauto.es

**JOFRAUTO**





# CATERING. A380



**Model:**  
JOFR A380

**GVW:**  
24-26 Tons

**Working Height:**  
2,840 - 8,400 mm

**Payload:**  
4,500 kg

**Available Chassis:**  
Volvo, Iveco, Mercedes-Benz,  
Renault, MAN

**Van Body:**  
50-100 mm Insulated GRP  
panels

**Lifting System:**  
Wider Scissors + hydraulic  
cylinders + stabilizing jacks

**Optional:**  
360° Camera  
3D Camera (AHM 913)  
Rear Tail Lift  
Rear Flap  
2-way Platform - Safety Shoe  
Carrier, Thermo King, Zanotti

**JOFRAUTO**



# CATERING. Full Cabin



**Model:**  
JOFR 01

**GW:**  
16-18 Tons

**Working Height:**  
2,840 - 6,000 mm

**Payload:**  
4,000 kg

**Available Chassis:**  
Volvo, Iveco, Mercedes-Benz,  
Renault, MAN

**Van Body:**  
50-100 mm Insulated GRP  
panels

**Lifting System:**  
Wider Scissors + hydraulic  
cylinders + stabilizing jacks

**Optional:**  
360° Camera  
3D Camera (AHM 913)  
Rear Tail Lift  
Rear Flap  
2-way Platform - Safety Shoe  
Carrier, Thermo King, Zanotti

**JOFRAUTO**

# CATERING. Half Cabin



**Model:**  
JOFR 03L

**GVW:**  
16-18 Tons

**Working Height:**  
1,400 - 6,000 mm

**Payload:**  
4,000 kg

**Available Chassis:**  
Volvo, Iveco, Renault

**Van Body:**  
50-100 mm Insulated GRP panels

**Lifting System:**  
Wider Scissors + hydraulic cylinders + stabilizing jacks

**Cab Transformation:**  
Performed in our facilities

**Optional:**  
360° Camera  
3D Camera (AHM 913)  
Rear Tail Lift  
Rear Flap  
4-way Platform  
Carrier, Thermo King, Zanotti

**JOFRAUTO**



# CATERING. Half Cabin



**Model:**  
JOFR 03S

**GVW:**  
7.5-10 Tons

**Working Height:**  
1,400 - 4,000 mm

**Payload:**  
1,500 kg

**Available Chassis:**  
Volvo, Iveco, Fuso

**Van Body:**  
50-100 mm Insulated GRP panels

**Lifting System:**  
Wider Scissors + hydraulic cylinders + stabilizing jacks

**Cab Transformation:**  
Performed in our facilities

**Optional:**  
360° Camera  
3D Camera (AHM 913)  
Rear Tail Lift / Rear Flap  
4-way Platform  
Carrier, Zanotti

**JOFRAUTO**

# CATERING. Half Cabin



**Model:**  
JOFR 03XS

**GVW:**  
3.5 Tons

**Working Height:**  
1,200 - 3,700 mm

**Payload:**  
500 kg

**Available Chassis:**  
Fuso 3.5

**Van Body:**  
50-100 mm Insulated GRP panels

**Lifting System:**  
Wider Scissors + hydraulic cylinders + stabilizing jacks

**Cab Transformation:**  
Performed in our facilities

**Optional:**  
360° Camera  
3D Camera (AHM 913)  
Rear Tail Lift / Rear Flap  
2-way Platform  
Zanotti Z200

**JOFRAUTO**



# AMBULIFT. A380



## Model:

JOFR A380 AMB

## GVW:

24-26 Tons

## Working Height:

2,840 - 8,400 mm

## Payload:

4,500 kg

## Available Chassis:

Volvo, Iveco, Mercedes-Benz,  
Renault, MAN

## Van Body:

50-80 mm Insulated GRP  
panels

## Lifting System:

Wider Scissors + hydraulic  
cylinders + stabilizing jacks

## Optional:

360° Camera

3D Camera (AHM 913)

2-way Platform - Safety Shoe

8 wheelchairs or 4 stretchers

**JOFRAUTO**



# AMBULIFT. Full Cabin



## Model:

JOFR 01 AMB

## GVW:

14-18 Tons

## Working Height:

2,840 - 6,000 mm

## Payload:

2,500 kg

## Available Chassis:

Volvo, Iveco, Mercedes-Benz,  
Renault, MAN

## Van Body:

50-80 mm Insulated GRP  
panels

## Lifting System:

Wider Scissors + hydraulic  
cylinders + stabilizing jacks

## Optional:

360° Camera

3D Camera (AHM 913)

2-way Platform - Safety Shoe

6 wheelchairs or 2 stretchers

**JOFRAUTO**

# AMBULIFT. Half Cabin



## Model:

JOFR 03L AMB

## GVW:

14-16 Tons

## Working Height:

1,600 - 6,000 mm

## Payload:

2,500 kg

## Available Chassis:

Volvo, Iveco

## Van Body:

50-80 mm Insulated GRP panels

## Lifting System:

Wider Scissors + hydraulic cylinders + stabilizing jacks

## Optional:

360° Camera

3D Camera (AHM 913)

2-way & 4-way Platform

Safety Shoe

6 wheelchairs or 2 stretchers

**JOFRAUTO**



# AMBULIFT. Half Cabin



**Model:**  
JOFR 03S AMB

**GVW:**  
7.5-10 Tons

**Working Height:**  
1,400 - 4,000 mm

**Payload:**  
500 kg

**Available Chassis:**  
Volvo, Iveco, Renault,  
FUSO

**Van Body:**  
50-80 mm Insulated GRP  
panels

**Lifting System:**  
Wider Scissors + hydraulic  
cylinders + stabilizing jacks

**Optional:**  
360° Camera  
3D Camera (AHM 913)  
2-way Platform - Safety Shoe  
4 wheelchairs or 2 stretchers

**JOFRAUTO**

# MAINTENANCE. Full Cabin



## Model:

JOFR 01 MAIN

## GVW:

16-18 Tons

## Working Height:

2,840 - 6,000 mm

## Payload:

4,500 kg

## Available Chassis:

Volvo, Iveco, Mercedes-Benz,  
Renault, MAN

## Van Body:

50-100 mm Insulated GRP  
panels

## Lifting System:

Wider Scissors + hydraulic  
cylinders + stabilizing jacks

## Optional:

360° Camera  
3D Camera (AHM 913)  
Rear Tail Lift  
Rear Flap  
2-way Platform - Safety Shoe

**JOFRAUTO**



# RAPID TRANSFER ULD TRUCK



**Model:**  
JOFR TRANSFER

**GVW:**  
18-32 Tons

**Payload:**  
Up to 12,000 kg

**Available Chassis:**  
Volvo, Iveco, Mercedes-Benz,  
Renault, MAN

**Bed Platform:**  
Rubber and Steel rollers  
Side Claws to fix cargo

**Specifications:**  
Self-Weighing  
DOMEX 700 Structure  
Hydraulic driven  
Available for ULD, AKE, PMC  
cargo  
Self-lubricating distribution  
chain

**JOFRAUTO**

# LAVATORY Water Truck



**Model:**  
JOFR WW

**GVW:**  
3.5 - 9 Tons

**Working Height:**  
1,000 - 2,950 mm

**Available Chassis:**  
Volvo, Iveco, FUSO

**Optional:**  
Rear Basket  
Parktronic  
Two tanks: Waste +  
Disinfectant

**JOFRAUTO**



# POTABLE Water Truck



**Model:**  
JOFR CW

**GVW:**  
3.5 - 9 Tons

**Available Chassis:**  
Volvo, Iveco, FUSO

**Optional:**  
Rear Basket  
Parktronic

**JOFRAUTO**














**JOFRAUTO**